NEUROSCIENCE LETTERS

VOLUME 100, Nos. 1-3 CONTENTS MAY 22nd, 1989

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Immunocytochemical indications for neuronal co-localization of GABA and aspartate in cultured neocortex explants
B.M. de Jong, J.M. Ruijter and R.M. Buijs (The Netherlands) 1

The presence of tau distinguishes Lewy bodies of diffuse Lewy body disease from those of idiopathic Parkinson disease
P.G. Galloway, C. Bergeron and G. Perry (U.S.A., Canada) 6

Autoradiographic localization of binding sites for vasotocin in the brain and pituitary of the sea bass (*Dicentrarchus labrax*)
L. Moons, M. Cambré, T.F.C. Batten and F. Vandesande (Belgium, U.K.) 11

Transplantation of immature murine brain tissue into the anterior eye-chamber of adult rats
S. Jensen, T. Sørensen, B.R. Finsen and J. Zimmer (Denmark) 17

Coexistence of acetylcholinesterase-, human growth hormone-releasing factor(1–37)-, α-melanotropin- and melanin-concentrating hormone-like immunoreactivities in neurons of the rat hypothalamus: a light and electron microscope study
P.Y. Risold, D. Fellmann, D. Lenys and C. Bugnon (France) 23

Striatal neurons with aromatic L-amino acid decarboxylase-like immunoreactivity in the rat
Y. Tashiro, T. Kaneko, T. Sugimoto, I. Nagatsu, H. Kikuchi and M. Mizuno (Japan) 29

Neocortical transplants grafted into the newborn rat brain demonstrate a blood–brain barrier to macromolecules
R.S. Swenson, P. Shaw, V. Alones, G. Kozlowski, J. Zimmer and A.J. Castro (U.S.A., Denmark) 35

Extracellular space in the developing retina assessed by electron microscopy: laminar and topographic distribution
J. Maslim and J. Stone (Australia) 40

Low uptake of [^{3}H]2-deoxy-D-glucose by cultured rat Schwann cells
T. Yasuda, G. Sobue, T. Mitsuma and A. Takahashi (Japan) 47

Coexistence of GABA and peptide immunoreactivity in non-pyramidal neurons of the basolateral amygdala
A.J. McDonald and J.C. Pearson (U.S.A.) 53

Estrogen induction of galanin synthesis in the rat anterior pituitary gland demonstrated by in situ hybridization and immunohistochemistry
M.E. Vrontakis, T. Yamamoto, I.C. Schroedter, J.I. Nagy and H.G. Friesen (Canada) 59

Adrenergic neurons in the nucleus tractus solitarius receive GABAergic synapses. Demonstration by dual immunocytochemistry in the rat
P. Kachidian, L. Denoroy and O. Bosler (France) 65

Coe-existence of neuropeptides and differential inhibition of vasodilator responses by neuropeptide Y in guinea pig uterine arteries
B. Fallgren, E. Ekblad and L. Edvinsson (Sweden) 71

Tachykinins, calcitonin gene-related peptide and neuropeptide Y in nerves of the mammalian thymus: interactions with mast cells in autonomic and sensory neuroimmunomodulation?
E. Weihe, S. Müller, T. Fink and H.J. Zentel (F.R.G.) 77

A possible spino (trigemino)-ponto-amygdaloid pathway for pain
J.F. Bernard, M. Peschanski and J.M. Besson (France) 83

Melatonin binding sites in the sheep pars tuberalis
M.-M. de Reviers, J.-P. Ravault, Y. Tillet and J. Pelletier (France) 89

Immunocytochemical localization of cell adhesion molecule L1 in developing rat pyramidal tract
E.A.J. Joosten and A.A.M. Gribau (The Netherlands) 94

(Contents continued on p. 358.)

This journal is printed on acid-free paper.

BEST COPY AVAILABLE
FOR REPRODUCTION

NEUROSCIENCE LETTERS

VOLUME 100, Nos. 1-3 CONTENTS MAY 22nd, 1989

(Cited in Biological Abstracts (BIOSIS), Chemical Abstracts, Current Contents/Life Sciences, Excerpta Medica (EMBASE), Index Medicus, PASCAL M and Science Citation Index)

Immunocytochemical indications for neuronal co-localization of GABA and aspartate in cultured neocortex explants
B.M. de Jong, J.M. Ruijter and R.M. Buijs (The Netherlands) 1

The presence of tau distinguishes Lewy bodies of diffuse Lewy body disease from those of idiopathic Parkinson disease
P.G. Galloway, C. Bergeron and G. Perry (U.S.A., Canada) 6

Autoradiographic localization of binding sites for vasotocin in the brain and pituitary of the sea bass (*Dicentrarchus labrax*)
L. Moons, M. Cambré, T.F.C. Batten and F. Vandesande (Belgium, U.K.) 11

Transplantation of immature murine brain tissue into the anterior eye-chamber of adult rats
S. Jensen, T. Sørensen, B.R. Finsen and J. Zimmer (Denmark) 17

Coexistence of acetylcholinesterase-, human growth hormone-releasing factor(1–37)-, α-melanotropin- and melanin-concentrating hormone-like immunoreactivities in neurons of the rat hypothalamus: a light and electron microscope study
P.Y. Risold, D. Fellmann, D. Lenys and C. Bugnon (France) 23

Striatal neurons with aromatic L-amino acid decarboxylase-like immunoreactivity in the rat
Y. Tashiro, T. Kaneko, T. Sugimoto, I. Nagatsu, H. Kikuchi and M. Mizuno (Japan) 29

Neocortical transplants grafted into the newborn rat brain demonstrate a blood–brain barrier to macromolecules
R.S. Swenson, P. Shaw, V. Alones, G. Kozlowski, J. Zimmer and A.J. Castro (U.S.A., Denmark) 35

Extracellular space in the developing retina assessed by electron microscopy: laminar and topographic distribution
J. Maslim and J. Stone (Australia) 40

Low uptake of [^{3}H]2-deoxy-D-glucose by cultured rat Schwann cells
T. Yasuda, G. Sobue, T. Mitsuma and A. Takahashi (Japan) 47

Coexistence of GABA and peptide immunoreactivity in non-pyramidal neurons of the basolateral amygdala
A.J. McDonald and J.C. Pearson (U.S.A.) 53

Estrogen induction of galanin synthesis in the rat anterior pituitary gland demonstrated by in situ hybridization and immunohistochemistry
M.E. Vrontakis, T. Yamamoto, I.C. Schroedter, J.I. Nagy and H.G. Friesen (Canada) 59

Adrenergic neurons in the nucleus tractus solitarius receive GABAergic synapses. Demonstration by dual immunocytochemistry in the rat
P. Kachidian, L. Denoroy and O. Bosler (France) 65

Coe-existence of neuropeptides and differential inhibition of vasodilator responses by neuropeptide Y in guinea pig uterine arteries
B. Fallgren, E. Ekblad and L. Edvinsson (Sweden) 71

Tachykinins, calcitonin gene-related peptide and neuropeptide Y in nerves of the mammalian thymus: interactions with mast cells in autonomic and sensory neuroimmunomodulation?
E. Weihe, S. Müller, T. Fink and H.J. Zentel (F.R.G.) 77

A possible spino (trigemino)-ponto-amygdaloid pathway for pain
J.F. Bernard, M. Peschanski and J.M. Besson (France) 83

Melatonin binding sites in the sheep pars tuberalis
M.-M. de Reviers, J.-P. Ravault, Y. Tillet and J. Pelletier (France) 89

Immunocytochemical localization of cell adhesion molecule L1 in developing rat pyramidal tract
E.A.J. Joosten and A.A.M. Gribau (The Netherlands) 94

(Contents continued on p. 358.)

This journal is printed on acid-free paper.

BEST COPY AVAILABLE
FOR REPRODUCTION

CONTENTS *(continued from back cover)*

Ultrastructural correlates of functional relationships between nigral dopaminergic or cortical afferent fibers and neuropeptide Y-containing neurons in the rat striatum
J. Vuillet, L. Kerkerian, P. Kachidian, O. Bosler and A. Nieoullon (France) 99
Localization of the dopamine uptake complex using [^{3}H]*N*-[1-(2-benzo(b)thiophenyl)-cyclohexyl]piperidine ([^{3}H]BTCP) in rat brain
F. Filloux, M.A. Hunt and J.K. Wamsley (U.S.A.) 105
Functional activity patterns in the forebrain of swimming rats: a 5 min 2-deoxyglucose study
G.E. Duncan, W.E. Stumpf, G.R. Breese and K.E. Mitra (U.S.A.) 111
Induction of the c-*fos* gene product in rat forebrain following cortical lesions and NGF injections
F.R. Sharp, M.F. Gonzalez, K. Hisanaga, W.C. Mobley and S.M. Sagar (U.S.A., Japan) 117
Galanin-positive nerves of trigeminal origin innervate rat cerebral vessels
N. Suzuki, J.E. Hardebo, J. Kåhrström and C. Owman (Sweden) 123
Cold exposure or norepinephrine injections altered melatonin levels in the quail retina
P.P.N. Lee, S.Y.W. Shiu, A.E. Allen and S.F. Pang (Hong Kong) 130
Lithium discriminates between muscarinic receptor subtypes on guinea pig hippocampal neurons in vitro
W. Müller, H. Brunner and U. Misgeld (F.R.G.) 135
Differential effects of phospholipase inhibitors in long-term potentiation in the rat hippocampal mossy fiber synapses and Schaffer/commissural synapses
D. Okada, S. Yamagishi and H. Sugiyama (Japan) 141
Electrophysiological evidence for terminal sprouting of locus coeruleus neurons following repeated mild stress
S. Nakamura, T. Sakaguchi and F. Aoki (Japan) 147
Tooth pulp stimulation advances both medullary off-cell pause and tail flick
F. Ramírez and H. Vanegas (Venezuela) 153
Modulation of an inhibitory reflex in single motor units in human masseter at different joint angles
K.S. Türker, J.J. Seguin and T.S. Miles (U.S.A.) 157
Lesions of the inferior olive do not affect long- or short-term habituation of the acoustic startle response in rats
C. de'Sperati, L. Lopiano and P.G. Montarolo (Italy) 164
Physiological evidence for α_1-adrenergic facilitatory control of the cold-induced TRH release in the rat, obtained by push–pull cannulation of the median eminence
S. Arancibia, L. Tapia-Arancibia, H. Astier and I. Assenmacher (France) 169
Hyperbaric pressure depresses potentiation of polysynaptic medullospinal reflexes in newborn rats
A. Tarasiuk and Y. Grossman (Israel) 175
The effect of chronic ethanol consumption on [^{14}C]deoxyglucose uptake in rat brain in vivo
E.R. Pietrzak, P.A. Wilce and B.C. Shanley (Australia) 181
Increase in endogenous 5-hydroxytryptamine levels modulates the central network underlying locomotion in the lamprey spinal cord
J. Christenson, J. Franck and S. Grillner (Sweden) 188
Visual responses of sheep temporal cortex cells to moving and stationary human images
K.M. Kendrick and B.A. Baldwin (U.K.) 193
Well-maintained responses of acetylcholine release and blood flow in the cerebral cortex to focal electrical stimulation of the nucleus basalis of Meynert in aged rats
M. Kurosawa, A. Sato and Y. Sato (Japan) 198
Stimulation of GABA release from the rat neostriatum and globus pallidus in vivo by corticotropin-releasing factor
D.J.S. Sirinathsinghji and R.P. Heavens (U.K.) 203

Molecular target size of an L-glutamate receptor from the cockroach central nervous system
M.-I. Sepulveda and D.B. Sattelle (U.K.) 210
Somatodendritic release of endogenous dopamine: in vivo dialysis in the A10 dopamine region
P.W. Kalivas, A. Bourdelais, R. Abhold and L. Abbott (U.S.A.) 215
Phosphorylation of μ-opioid receptors – a putative mechanism of selective uncoupling of receptor–Gi interaction, measured with low-K_m GTPase and nucleotide-sensitive agonist binding
H. Harada, H. Ueda, Y. Wada, T. Katada, M. Ui and M. Satoh (Japan) 221
Tacrine slows the rate of ageing of sarin-inhibited acetylcholinesterase
R.M. Dawson (Australia) 227
Primary afferent depolarization in the rat spinal cord is mediated by pathways utilising NMDA and non-NMDA receptors
R.H. Evans and S.K. Long (U.K., The Netherlands) 231
Glycine potentiates NMDA responses in rat hippocampal CA1 neurons
S. Minota, T. Miyazaki, M.Y. Wang, H.L. Read and N.J. Dun (U.S.A.) 237
Atrial natriuretic factor suppresses M-current in frog but not in rat sympathetic neurones
K.K. Pant and P.A. Smith (Canada) 243
In vivo release of cholecystokinin-like immunoreactivity in rat frontal cortex under freely moving conditions
M. Takita, T. Tsuruta, Y. Oh-hashi and T. Kato (Japan) 249
Methoctramine and hexahydrodifenidol antagonise two muscarinic responses on the rat superior cervical ganglion with opposite selectivity
J.J. Field and N.R. Newberry (U.K.) 254
Induction of stress protein HSP70 in nerve cells after status epilepticus in the rat
K. Vass, M.L. Berger, T.S. Nowak Jr., W.J. Welch and H. Lassmann (Austria, U.S.A.) 259
Behavioral and neurochemical modifications induced by apomorphine treatment
P. Pievincenzo, G. Luciana, C. Laura and A. Guiseppe (Italy) 265
Sucrose octaacetate-taster mice have more vallate taste buds than non-tasters
I.J. Miller and G. Whitney (U.S.A.) 271
Hippocampal 5-HT synthesis and release in vivo is decreased by infusion of 8-OHDPAT into the nucleus raphe dorsalis
P.H. Hutson, G.S. Sarna, M.T. O'Connell and G. Curzon (U.K.) 276
Effects of neonatal capsaicin treatment and streptozotocin-induced diabetes on urinary bladder function in rats
C.-M. Lee and C.-C. Wong (Hong Kong) 281
Sodium nitroprusside and guanosine 3′,5′-monophosphate (cyclic GMP) inhibit stimulated phosphoinositide hydrolysis in rat cerebral cortical slices
G.C. Ormandy and R.S. Jope (U.S.A.) 287
Baclofen antagonism by 4-amino-3-(5-methoxybenzo[b]furan-2-yl)butanoic acid in the cat spinal cord
D.T. Beattie, D.R. Curtis, M. Debaert, C. Vaccher and P. Berthelot (Australia, France) 292
The effects of *N*-acetylated alpha-linked acidic dipeptidase (NAALADase) inhibitors on [^{3}H]NAAG catabolism in vivo
B.L. Stauch, M.B. Robinson, F. Forloni, G. Tsai and J.T. Coyle (U.S.A.) 295
Comparison through immunoblotting of glutamic acid decarboxylase (GAD) from newborn and adult rat brain
S. Henry and M. Tappaz (France) 301
Intracerebral microdialysis neurotoxicity studies of quinoline and isoquinoline derivatives related to MPTP/MPP$^+$
R.G. Booth, N. Castagnoli Jr. and H. Rollema (U.S.A.) 306
Kainic acid inhibits cholecystokinin release from rat hippocampal slices
S. Brai, G.A. Bustos, P.H.K. Lee, J.S. Hong, P.G. Aitken and J.V. Nadler (U.S.A.) 313
Aging does not alter cytosolic calcium levels of cortical synaptosomes in Fischer 344 rats
R.P. Farrar, S.M. Rezazadeh, J.L. Morris, J.E. Dildy, K. Gnau and S.E. Leslie (U.S.A.) 319

Immunoreactive tachykinins, calcitonin gene-related peptide and neuropeptide Y in human synovial fluid from inflamed knee joints
J. Larsson, A. Ekblom, K. Henriksson, T. Lundeberg and E. Theodorsson (Sweden) 326
Class II antigen expression on human cultured Schwann cells from patients with Charcot-Marie-Tooth disease
I. De Martini, D. Bianchini, A. Schenone, A. Cadoni, A. Zicca, D. Zaccheo and G.L. Mancardi (Italy) 331
Biogenic amines and their metabolites in Alzheimer's disease: noradrenaline, 5-hydroxytryptamine and 5-hydroxyindole-3-acetic acid depleted in hippocampus but not in substantia innominata
G.B. Baker and G.P. Reynolds (Canada, U.K.) 335
An antiserum against amyloid β-protein precursor detects a unique peptide in Alzheimer brain
G. Cole, E. Masliah, T.V. Huynh, R. DeTeresa, R.D. Terry, C. Okuda and T. Saitoh (U.S.A.) 340
Significance of shape and size of the stimulating coil in magnetic stimulation of the human motor cortex
K.M. Rösler, C.W. Hess, R. Heckmann and H.P. Ludin (Switzerland) 347

Author Index 353